

Flexible Molded Rolls

Quantity	Material Quality	Dimensions
1	5300 Flexible Molded	2.3" wide x 5/8" thick x 9.5' long
3	5300 Flexible Molded	2.5" wide x 3/4" thick x 10' long
1	5300 Flexible Molded	2.9" wide x 3/8" thick x 32.8084' long
1	5300 Flexible Molded	1.8" wide x 1/4" thick x 32.8084' long
1	5300 Flexible Molded	2.3" wide x 1/2" thick x 11.50' long

1	5505 Flexible Molded (metal-free)	1.8" wide x 1/4" thick x 32.8084' long
4	5505 Flexible Molded (metal-free)	2.8" wide x 1/2" thick x 16.4042' long
3	5505 Flexible Molded (metal-free)	2.3" wide x 1/2" thick x 16.4042' long
1	5505 Flexible Molded (metal-free)	1.8" wide x 1/4" thick x 30' long
2	5505 Flexible Molded (metal-free)	2.7" wide x 3/4" thick x 8' 10" long
1	5505 Flexible Molded (metal-free)	2.86" wide x 3/8" thick x 16.4042' long
1	5505 Flexible Molded (metal-free)	2.4" wide x 5/8" thick x 15' long
1	5505 Flexible Molded (metal-free)	2.4" wide x 5/8" thick x 7' long
1	5505 Flexible Molded (metal-free)	2.792" wide x 3/4" thick x 5.5' long
1	5505 Flexible Molded (metal-free)	2.5" wide x 3/4" thick x 2.5' long
1	5505 Flexible Molded (metal-free)	2.792" wide x 3/4" thick x 3.9' long
1	5505 Flexible Molded (metal-free)	2.792" wide x 3/4" thick x 2.5' long

Woven Rolls

Quantity	Material Quality	Dimensions
1	4500 Heavy Duty Woven	5.512" wide x 1/4" thick x 26.247' long
4	4500 Heavy Duty Woven	1.8" wide x 5/16" thick x 32.8084' long
34	4500 Heavy Duty Woven	2.85" wide x 5/16" thick x 32.8084' long
1	4500 Heavy Duty Woven	3.5" wide x 5/16" thick x 12" long
1	4500 Heavy Duty Woven	3.5" wide x 5/16" thick x 19" long
1	4500 Heavy Duty Woven	4.921" wide x 5/16" thick x 13.25' long
1	4500 Heavy Duty Woven	4.921" wide x 5/16" thick x 13.5' long
2	4500 Heavy Duty Woven	4.921" wide x 5/16" thick x 4.1666' long
1	4500 Heavy Duty Woven	4.921" wide x 5/16" thick x 3.666' long
1	4500 Heavy Duty Woven	3.54" wide x 5/16" thick x 4.1667' long
2	4500 Heavy Duty Woven	1.9" wide x 1/2" thick x 5.643' long
1	4500 Heavy Duty Woven	2.25" wide x 3/8" thick x 13.125" long
1	4500 Heavy Duty Woven	3" wide x 3/8" thick x 24.9167' long
1	4500 Heavy Duty Woven	3" wide x 3/8" thick x 3' 10" long
1	4500 Heavy Duty Woven	3" wide x 3/8" thick x 2' 3" long
1	4500 Heavy Duty Woven	5.5" wide x 1/2" thick x 25.5" long
1	4500 Heavy Duty Woven	8" wide x 1/2" thick x 6.6'
1	4500 Heavy Duty Woven	1.969" wide x 1/2" x 3.75' long
2	4500 Heavy Duty Woven	8" wide x 5/8" thick x 1.4167' long
1	4500 Heavy Duty Woven	9" wide x 5/8" thick x 13.12336' long
1	4500 Heavy Duty Woven	6" wide x 3/4" thick x 16.4468' long

We have many other cut segments of woven not listed above available in both metric and imperial sizes, please call us to see what we have in stock.

1. We can cut down roll widths for you, please add \$0.15/foot
2. Minimum \$250 order total, can be combined with any products
3. Availability to change without notice, updated monthly, special prices apply only to these quantities

Flat Stock

Quantity	Material Quality	Dimensions
25	Bremskerl 6230 (.42μ)	.562" thick, 8.875" x 8"
27	Bremskerl 6230 (.42μ)	.562" thick, 9.5" x 9"

Blank Circles (O.D. Only)

Quantity	Material Quality	Dimensions
400	Bremskerl 6230 (.42μ)	.174" thick, 3.725" OD
1586	Bremskerl 6230 (.42μ)	.312" thick, 4.370" OD
610	Bremskerl 6230 (.42μ)	.217" thick, 3.898" OD
2810	Bremskerl 4199 (.38μ), can be used in oil	.125" thick, 4.44" OD
1500	Bremskerl 4199 (.38μ), can be used in oil	.255" thick, 4.40" OD
44	Bremskerl 4199 (.38μ), can be used in oil	.116" thick, 2.371" OD
100	Bremskerl 4199 (.38μ), can be used in oil	.155" thick, 3.164" OD
135	Bremskerl 5300 (.35μ)	.1875" thick, OD = 2.285"
109	Bremskerl 5300 (.35μ)	.250" thick, OD = 3.24"
246	Bremskerl 5300 (.35μ)	.125" thick, OD = 1.935"
109	Bremskerl 5300 (.35μ)	.116" thick, OD = 2.52"
101	Bremskerl 5300 (.35μ)	.126" thick, OD = 2.2"
54	Bremskerl 5300 (.35μ)	.119" thick, OD = 2.327"
14	Bremskerl 5300 (.35μ)	.188" thick, OD = 2.73"
50	Bremskerl 5300 (.35μ)	.118" thick, OD = 2.507"
162	Bremskerl 5300 (.35μ)	.190" thick, OD = 3.083"
108	Bremskerl 5300 (.35μ)	.12" thick, OD = 2.755"
139	Bremskerl 5300 (.35μ)	.19" thick, OD = 2.30"
30	Bremskerl 5300 (.35μ)	.13" thick, OD = 2.25"
72	Bremskerl 5300 (.35μ)	.25" thick, OD = 3.645"
28	Bremskerl 5300 (.35μ)	.192" thick, OD = 2.73"
1249	Bremskerl 5300 (.35μ)	.118" thick, OD = 2.375"
300	Bremskerl 5300 (.35μ)	.125" thick, OD = 2.222"
145	Bremskerl 5300 (.35μ)	.194" thick, OD = 2.13"
72	Bremskerl 5300 (.35μ)	.26" thick, OD = 3.898"
162	Bremskerl 5300 (.35μ)	.19" thick, OD = 3.3"
1036	Bremskerl 5300 (.35μ)	.125" thick, OD = 2.415"
395	Bremskerl 7221 (.42μ)	.090" thick, OD = 4"
155	Bremskerl 7221 (.42μ)	.12" thick, OD = 4.765"
44	Bremskerl 7221 (.42μ)	.086" thick, OD = 3.46"
124	Bremskerl 7221 (.42μ)	.079" thick, OD = 4.763"
50	Bremskerl 7221 (.42μ)	.119" thick, OD = 4.304"
506	Bremskerl 6770 (.28μ)	.079" thick, OD = 3"
680	Bremskerl 4202 (.40μ)	.098" thick, OD = 1.625"
127	Bremskerl 6800 (.45μ)	.118" thick, OD = 2.01"
15000	Bremskerl 6060 (.35μ)	.90" thick, OD = 1.54"

1. We can cut down roll widths for you, please add \$0.15/foot
2. Minimum \$250 order total, can be combined with any products
3. Availability to change without notice, updated monthly, special prices apply only to these quantities

1300	Bremskerl 6060 (.35μ)	.125" thick, OD = 3.475"
1947	Bremskerl 6060 (.35μ)	.1" thick, OD = 2.525"

Rings (I.D. & O.D.)

Quantity	Material Quality	Dimensions
----------	------------------	------------

1986	Bremskerl 6230 (.42μ)	.068 thick, OD = 2.944", ID = 2.136"
------	-----------------------	--------------------------------------

47	Bremskerl 5300 (.35μ)	.252" thick, OD = 4.19", ID = .5"
50	Bremskerl 5300 (.35μ)	.12" thick, OD = 2.428", ID = .5"
32	Bremskerl 5300 (.35μ)	.196" thick, OD = 2.956", ID = .5"
60	Bremskerl 5300 (.35μ)	.191" thick, OD = 3.486", ID = .5"

200	Bremskerl 4199 (.38μ), can be used in oil	.166" thick, OD = 4.944", ID = .5"
375	Bremskerl 4199 (.38μ), can be used in oil	.16" thick, OD = 3.187", ID = .5"

260	Bremskerl 5504 (.35μ)	.189" thick, OD = 3.75", ID = .5"
-----	-----------------------	-----------------------------------

104	Bremskerl 6060 (.35μ)	.12" thick, OD = 3.90", ID = .5"
100	Bremskerl 6060 (.35μ)	.12" thick, OD = 4.728", ID = .5"

289	Bremskerl 6905 (.40μ)	.15" thick, OD = 4.465", ID = .5"
-----	-----------------------	-----------------------------------

96	Bremskerl 5396 (.35μ)	.16" thick, OD = 4.5", ID = .5"
----	-----------------------	---------------------------------

200	Bremskerl 7221 (.42μ)	.220" thick, OD = 2.743", ID = 1.314"
44	Bremskerl 7221 (.42μ)	.079" thick, OD = 3.715", ID = .5"

Rivets

Quantity	Part #	Dimensions
----------	--------	------------

15580	95000010 (100/bag)	8x15mm
-------	--------------------	--------

Do not see something you need? Call us at (800) 939-4047 and we can see if anything new has been added to our overstock list.

1. We can cut down roll widths for you, please add \$0.15/foot
2. Minimum \$250 order total, can be combined with any products
3. Availability to change without notice, updated monthly, special prices apply only to these quantities